



Portable Bike Rack Set Up Instructions

1



Slide legs out of crossbar.

2



Slide legs criss-cross fashion through opening in end until they reach the stop pin. If using overhead banners, position coupler arms up.

3



If using overhead banners, thread the long, straight PVC piece through the top pocket in the banner. Add short PVC pieces as vertical supports on the sides and insert into couplers.

4



Attach triangular Valley Metro banners between lower portions of legs using zip ties, rubber bands or Velcro strips.

5



Allow at least 8 feet between bike racks.

ShareTheRide.com
602.262.RIDE (7433)
facebook.com/sharetherideandsave





COMMUTE·SOLUTIONS

Portable Bike Rack Use Instructions

There are several ways to use Valley Metro's portable racks. The most common:

1



Maneuver the handlebars under the crossbar and lift the bike's seat. Set the "nose" of the bike seat on the crossbar.

2



Hook the brake levers over the crossbar.

3



Lift the front wheel over the crossbar and set the frame of the bike on the crossbar.

ShareTheRide.com
602.262.RIDE (7433)

facebook.com/sharetherideandsave



CARPOOL | VANPOOL | BUS | LIGHT RAIL | TELEWORK | BIKE | WALK

Sponsored by the Arizona Department of Environmental Quality, Maricopa Association of Governments, Maricopa County Air Quality Department and Valley Metro.